


## 19" frame



Height

H with feet	H without feet	Useable height h
mm	mm	U mm
1798	1789	38 1690.5

Width

Cabinet width	Upright distance	Bolt-on dimension	Distance between feet
W	w	w1	w2
mm	mm	mm	mm
600	451	465	502

Depth

Cabinet depth	Upright dimension	Bolt-on distance	Distance between feet	
D	c	d	d1	d2
mm	mm	mm	mm	mm
800	680	582	596	644

Add to basket



Part no.: 22117-776

**Features:**

- screw fixed, frame Al die-cast, uprights Al extrusion
- Finish: RAL 7021





**Technical Information:**

Height	Height	Width	Depth
38 U	1798 mm	600 mm	800 mm

**Delivery comprises:** assembled

Item	Qty	Description
1	2	Frame, Al die-cast
2	4	Uprights Al extrusion



Height

H with feet	H without feet	Useable height h
mm	mm	U mm
1798	1789	38 1690.5

Width

Cabinet width	Upright distance	Bolt-on dimension	Distance between feet
W	w	w1	w2
mm	mm	mm	mm
600	451	465	412

Depth

Cabinet depth	Upright distance	Bolt-on dimension	Distance between feet	
D	c	d	d1	d2
mm	mm	mm	mm	mm
800	680	582	596	612

19" upright eurorack, recessed 60 mm



Product illustrations are exemplary illustrations and can deviate from supplied products.