



DE

# FC coils

Ferrite coils with tinned wire ends.



example





DE

Art. No.	Article	Technical Data
3698	FC 3,3 mH	Diameter 40 mm Wire diameter Internal 0,9 mm resistance 0,45 Ohm Saturation current 6,6 A
3699	FC 3,9 mH	Diameter 40 mm Wire diameter Internal 0,9 mm resistance 0,55 Ohm Saturation current 6,1 A
3702	FC 4,7 mH	Diameter 40 mm Wire diameter Internal 0,85 mm resistance 0,75 Ohm Saturation current 5,7 A
3704	FC 6,8 mH	Diameter 40 mm Wire diameter Internal 0,8 mm resistance 0,75 Ohm Saturation current 5,4 A



DE

3706	FC 8,2 mH	Diameter	40 mm
		Wire diameter	
		Internal	0,75 mm
		resistance	0,79 Ohm
		Saturation current	
			4,5 A

---

3708	FC 10,0 mH	Diameter	40 mm
		Wire diameter	
		Internal	0,75 mm
		resistance	0,82 Ohm
		Saturation current	
			4,1 A

---

## Contact

VISATON GmbH & Co. KG  
Ohligser Str. 29-31  
42781 Haan  
Germany  
Tel:+49 2129 552-0  
E-Mail: visaton@visaton.com

**PRODUCTS**

**SERVICE**

**PERFORMANCE**

**ABOUT US**



DE

**CONTACT**

**PRIVACY STATEMENT**

**DOWNLOADS**

© VISATON GmbH & Co. KG 2021